



# Alkaloids



- Tropane Alkaloids
- Piperidine Alkaloids
- Phenylethylamine Alkaloids
- Isoquinoline Alkaloids
- Quinoline Alkaloids
- Pyridine Alkaloids
- Indole Alkaloids
- Imidazole Alkaloids
- Purine Alkaloids
- Other Alkaloids

# Alkaloids

Alkaloids are nitrogen-containing small molecules which are mainly found in plants. To date, approximately 27 thousand alkaloids have been reported in which 21 thousand were of plant origin.

Since most of the alkaloids exhibit potent bioactivity, they are the main component of many herbal medicines. Some alkaloids are also used as pharmaceuticals. Alkaloids interact with proteins electrostatically due to the positive charge of the nitrogen atoms which facilitates binding to the negative charge of the proteins. Especially, pharmaceutical alkaloids tend to bind to the receptors in neural systems.

## Biosynthesis

Biosynthetic pathways to alkaloids vary greatly depending on the nitrogen source. Alkaloids are biosynthesized from various kinds of amino acids as depicted in Figure 1. Further complex alkaloids are also biosynthesized by attaching another alkaloid to the original skeletons.




Figure 1. Alkaloid Biosynthesis and Basic Structure

## Structure Classification

In the IUPAC Nomenclature Appendix, 67 alkaloid parent structures are shown. They can be classified into their basic skeletons based on their biosynthetic origins as shown in Figure 1. In this section, alkaloids are categorized into nine: eight as shown above and purine alkaloids as the ninth.

## Storage Precautions

Alkaloids are relatively stable at room temperature, however, they tend to form carbonate salts due to their basicity by reaction with carbon dioxide in the air. In addition, they are usually colorized by reaction with oxygen. Therefore, opened bottles should be stored in the refrigerator or frozen with inert gas such as nitrogen or argon.

## Solubility

In general, alkaloids dissolve in acidic water. Their salts dissolve in neutral water. They are usually insoluble in neutral water as free forms, but soluble in polar organic solvents such as chloroform, methanol or DMSO.

## Analysis

**HPLC :** In the reversed phase mode using an ODS column, peak tailing is suppressed by addition of acetic acid or trifluoroacetic acid to the mobile phase. Effective analysis would be achieved by a mixed mode column, TCI-Dual, with ion-exchange and reversed phase modes simultaneously. Detection is generally conducted by a UV detector.

**TLC :** In a normal phase silica gel TLC analysis, a solvent system of chloroform-methanol-aqueous ammonia gives a relatively a good separation. NH<sub>2</sub>-type silica gel is also effective. Dragendorff's reagent is a selective visualizing reagent for alkaloids. Tertiary amines and quaternary ammonium salts give orange spots.














## WARNING

Some of the alkaloids may cause serious physiological actions in very minute amounts. They may cause paralysis, convulsions, and death in the worst case. To avoid inhalation and contacting with skin, wear protective goggles, mask and eyeglasses when handling. Sufficient caution should be taken, when using these compounds, from the opening to the disposal of the reagents.

















## Reference

P. M. Dewick, in *Medicinal Natural Products*, 3rd ed., John Wiley & Sons, Chichester, 2009, p. 311.






















## Tropane Alkaloids

**H1289** 1g(±)-exo-6-Hydroxytropinone  
CAS RN: 5932-53-6**B3401** 1g 5gN-Boc-nortropinone  
CAS RN: 185099-67-6**T0534** 5g 25gTropine  
CAS RN: 120-29-6**P2648** 1g 5gPseudopelletierine  
CAS RN: 552-70-5**N0844** 5g 25gNortropinone Hydrochloride  
CAS RN: 25602-68-0**H0448** 5g 25gHomatropine Methyl Bromide  
CAS RN: 80-49-9**S0021** 1g 10gScopolamine Hydrobromide Trihydrate  
CAS RN: 6533-68-2**E0834** 5g 25gN-(Ethoxycarbonyl)-nortropinone  
CAS RN: 32499-64-2**H0155** 1gHomatropine Hydrobromide  
CAS RN: 51-56-9**H0156** 1g 25gHomatropine Hydrochloride  
CAS RN: 637-21-8**A0550** 5g 25gAtropine Sulfate Monohydrate  
CAS RN: 5908-99-6**T2743** 1g 5gTropisetron Hydrochloride  
CAS RN: 105826-92-4**B6485** 1g 5gBuscopan  
CAS RN: 149-64-4






## Piperidine Alkaloids


**P2361** 25mgPiperlongumine  
CAS RN: 20069-09-4**M2120** 200mg 1gMatrine  
CAS RN: 519-02-8**S0884** 1g(+)-Sparteine  
CAS RN: 492-08-0**R0111** 1g 5gRitalinic Acid  
CAS RN: 19395-41-6**P0460** 1g 5gPiperine  
CAS RN: 94-62-2**L0319** 25mg 100mgLycorine Hydrochloride Monohydrate  
CAS RN: 6150-58-9**L0442** 250mgLappaconitine  
CAS RN: 32854-75-4**M3093** 50mg 250mgSophoridine  
CAS RN: 6882-68-4**O0505** 25mg 100mgSophocarpine Monohydrate  
CAS RN: 145572-44-7**L0445** 250mgLycorine  
CAS RN: 476-28-8**P2609** 10mg 50mgPeiminine  
CAS RN: 18059-10-4**P2610** 5mg 25mgPeimine  
CAS RN: 23496-41-5**L0272** 200mg 1gLappaconitine Hydrobromide  
CAS RN: 97792-45-5**T3650** 1g 5gTetrahydropalmatine  
CAS RN: 2934-97-6**J0009** 10mgJervine  
CAS RN: 469-59-0**T3636** 100mgTomatine from Tomato  
CAS RN: 17406-45-0

## Phenylethylamine Alkaloids


<b>A0302</b>	1g 25g 250g		<b>A0303</b>	1g 25g		<b>S0233</b>	25g	
<b>Y0012</b>	1g 5g		<b>00413</b>	1g 5g 25g		<b>H1351</b>	1g 5g	
<b>M1891</b>	5g 25g		<b>P0395</b>	5g 25g		<b>P0398</b>	5g 25g	
<b>A0305</b>	1g 5g 25g		<b>D2104</b>	25g		<b>A0172</b>	1g 25g	
<b>A0175</b>	1g 5g 25g		<b>A0906</b>	1g		<b>A1234</b>	5g 25g	
<b>I0261</b>	5g 25g		<b>C2691</b>	100mg 500mg		<b>T2954</b>	100mg	
<b>P0016</b>	25g		<b>N0918</b>	5g 25g		<b>T3311</b>	250mg	
<b>P2138</b>	1g 5g		<b>B0451</b>	5g 25g		<b>N0963</b>	5g	
<b>C3641</b>	25mg 100mg		<b>A3229</b>	10mg 50mg				

## Isoquinoline Alkaloids


<b>P2138</b>	1g 5g		<b>B0451</b>	5g 25g		<b>N0963</b>	5g	
<b>C3641</b>	25mg 100mg		<b>A3229</b>	10mg 50mg				






























## Quinoline Alkaloids




## Pyridine Alkaloids



























## Indole Alkaloids

<b>H1360</b>  Harmol CAS RN: 487-03-6	<b>D0653</b>  Gramine CAS RN: 87-52-5	<b>I1012</b>  Indican (Plant Indican) CAS RN: 487-60-5	<b>P1121</b>  9H-Pyrido[3,4-b]indole CAS RN: 244-63-3
<b>H1237</b>  Harmaline CAS RN: 304-21-2	<b>H0001</b>  Harmine CAS RN: 442-51-3	<b>H0002</b>  Harmine Hydrochloride CAS RN: 343-27-1	<b>I0868</b>  Indirubin CAS RN: 479-41-4
<b>N0904</b>  Nicergoline CAS RN: 27848-84-6	<b>V0061</b>  Vincamine CAS RN: 1617-90-9	<b>V0115</b>  Vinpocetine CAS RN: 42971-09-5	<b>R0102</b>  Rutaecarpine CAS RN: 84-26-4
<b>Y0002</b>  Yohimbine Hydrochloride CAS RN: 65-19-0	<b>R0105</b>  Rhynchophylline CAS RN: 76-66-4	<b>S0257</b>  Strychnine Hydrochloride CAS RN: 1421-86-9	<b>S0093</b>  Strychnine Nitrate CAS RN: 66-32-0
<b>S0249</b>  Strychnine CAS RN: 57-24-9	<b>B0670</b>  Brucine Hydrate CAS RN: 357-57-3	<b>B0946</b>  Brucine Anhydrous CAS RN: 357-57-3	<b>A3236</b>  Ajmaline CAS RN: 4360-12-7
<b>B0671</b>  Brucine Hydrochloride Monohydrate CAS RN: 5786-96-9	<b>B0672</b>  Brucine Sulfate Heptahydrate [for Nitrate Analysis] CAS RN: 60583-39-3	<b>D2633</b>  Dihydroergotamine Mesylate CAS RN: 6190-39-2	<b>R0007</b>  Reserpine CAS RN: 50-55-5
<b>T3500</b>  Tabersonine CAS RN: 4429-63-4	<b>V0193</b>  Vindoline CAS RN: 2182-14-1	<b>V0129</b>  Vincristine Sulfate CAS RN: 2068-78-2	<b>B0397</b>  Betanin (Red Beet extract diluted with Dextrin) CAS RN: 7659-95-2
<b>L0413</b>  Lysergol CAS RN: 602-85-7	<b>H0146</b>  Histamine Dihydrochloride CAS RN: 56-92-8	<b>H0147</b>  Histamine Diphenylphosphate CAS RN: 51-74-1	<b>P0399</b>  Pilocarpine Nitrate CAS RN: 148-72-1













## Imidazole Alkaloids



## Purine Alkaloids



## Alkaloids

<b>C3641</b> 25mg 100mg  Cephalotaxine CAS RN: 24316-19-6	<b>A3599</b> 100mg  Aristolochic Acid CAS RN: 313-67-7	<b>C3719</b> 25mg  Coptisine Chloride CAS RN: 6020-18-4	<b>D5612</b> 50mg 250mg  1-Deoxyojirimycin CAS RN: 19130-96-2	<b>H1775</b> 10mg 50mg  Homoharringtonine CAS RN: 26833-87-4
<b>J0037</b> 50mg  Jatrorrhizine Chloride CAS RN: 6681-15-8	<b>M2968</b> 250mg 1g  Cepharanthine CAS RN: 481-49-2	<b>M3404</b> 20mg  Mesaconitine CAS RN: 2752-64-9	<b>P2361</b> 25mg  Piperlongumine CAS RN: 20069-09-4	<b>T2919</b> 20mg  Thiocolchicoside CAS RN: 602-41-5
<b>T4000</b> 10mg  Staurosporine CAS RN: 62996-74-1	<b>T4129</b> 250mg 1g  Tryptanthrin CAS RN: 13220-57-0			

### Ordering and Customer Service

#### TCI AMERICA

Tel : 800-423-8616 / 503-283-1681  
Fax : 888-520-1075 / 503-283-1987  
E-mail : Sales-US@TCIchemicals.com

#### TCI EUROPE N.V.

Tel : +32 (0)3 735 07 00  
Fax : +32 (0)3 735 07 01  
E-mail : Sales-EU@TCIchemicals.com

#### TCI Deutschland GmbH

Tel : +49 (0)6196 64053-00  
Fax : +49 (0)6196 64053-01  
E-mail : Sales-DE@TCIchemicals.com

#### Tokyo Chemical Industry UK Ltd.

Tel : +44 (0)1865 78 45 60  
E-mail : Sales-UK@TCIchemicals.com

#### 梯希爱(上海)化成工业发展有限公司

Tel : 800-988-0390 / 021-67121386  
Fax : 021-6712-1385  
E-mail : Sales-CN@TCIchemicals.com

#### Tokyo Chemical Industry (India) Pvt. Ltd.

Tel : 1800 425 7889 / 044-2262 0909  
E-mail : Sales-IN@TCIchemicals.com

#### TOKYO CHEMICAL INDUSTRY CO., LTD.

Tel : +81 (0)3-5640-8878  
E-mail : globalbusiness@TCIchemicals.com

• Chemicals itemized in this brochure are for research and testing use only. Please avoid use other than by chemically knowledgeable professionals. • Information such as listed products and its specifications and so on are subject to change without prior notice. • The contents may not be reproduced or duplicated in whole or in part without permission of Tokyo Chemical Industry Co., Ltd.