



SAFETY DATA SHEET

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200) (OSHA HCS)

SECTION 1. IDENTIFICATION

Product name : 4-(Trifluoromethoxy)benzyl Chloride
Product code : T2453

Manufacturer or supplier's details

Company name of supplier : TCI America
Address : 9211 N. Harborage Street Portland, OR 97203 U.S.A.
Telephone : +1-800-4238616/+1-503-2831681
Telefax : +1-888-5201075/+1-503-2831987
E-mail address : sales-US@TCIchemicals.com

Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-2867624

Transportation Emergencies: Chemtrec 24-Hour +1-800-4249300 (U.S.A.)/+1-703-5273887 (International)

Recommended use of the chemical and restrictions on use

Recommended use : Use as laboratory reagent

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 4
Corrosive to Metals : Category 1
Skin corrosion : Category 1C
Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger
Hazard Statements : H227 Combustible liquid.
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P234 Keep only in original container.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363 Wash contaminated clothing before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P390 Absorb spillage to prevent material damage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	CAS RN	Concentration (% w/w)
4-(Trifluoromethoxy)benzyl Chloride	65796-00-1	>= 90 - <= 100

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled : Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

In case of skin contact : Take off all contaminated clothing immediately. If on skin, rinse well with water. If skin irritation or rash occurs: Get medical advice/ attention.

In case of eye contact : Rinse with plenty of water. If easy to do, remove contact lens, if worn. Immediately call a POISON CENTER or doctor/ physician.

If swallowed : Immediately call a POISON CENTER or doctor/ physician. Rinse mouth. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed : None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry powder, Foam, Water spray, Carbon dioxide (CO2)

Specific hazards during fire fighting : No information available.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Immediately evacuate personnel to safe areas. Remove undamaged containers from fire area if it is safe to do so.

Special protective equipment for fire-fighters : Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment. Keep people away from and up-wind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc.

Environmental precautions : Prevent product from entering drains.

Methods and materials for containment and cleaning up : Collect as much of the spill as possible with a suitable absorbent material.

SECTION 7. HANDLING AND STORAGE

Technical measures : Prevent generation of vapor or mist. Take precautionary measures against static discharge. Use explosion-proof equipment.

Local/Total ventilation : Ensure adequate ventilation. Handle product only in closed system or

Advice on safe handling	:	provide appropriate exhaust ventilation at machinery. Use a local exhaust ventilation.
	:	Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not subject to grinding, shock or friction. Wash hands and face thoroughly after handling. Open drum carefully as content may be under pressure. Keep only in original packaging.
Conditions for safe storage	:	Keep container tightly closed. Store in a refrigerator. Keep in a well-ventilated place. Protect from moisture. Keep under inert gas. Store locked up.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Install a closed system or local exhaust. Also install safety shower and eye bath.

Personal protective equipment

Respiratory protection : Gas mask, Self-contained breathing apparatus

Hand protection : Impervious gloves

Eye protection : Safety glasses, Safety goggles, Face-shield

Skin and body protection : Impervious protective clothing

*Use personal protective equipment (PPE) approved under appropriate government standards and follow local and national regulations.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	colorless - yellow
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	194 °F / 90 °C (33 hPa)
Flash point	:	156 °F / 69 °C (Calculated value)
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1.34
Solubility(ies)	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Molecular weight	:	210.58 g/mol
Metal corrosion rate	:	Corrosive to metals

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No data available
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	None under normal processing.
Conditions to avoid	:	Heat. Electrical spark Open flame Exposure to moisture.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	Carbon monoxide, Carbon dioxide (CO ₂), Hydrogen chloride gas, Hy-

drogen fluoride

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity	:	No information available.
Skin corrosion/irritation	:	
Result	:	Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.
Serious eye damage/eye irritation	:	
Result	:	Irreversible effects on the eye
Respiratory or skin sensitization	:	No information available.
Germ cell mutagenicity	:	No information available.
Carcinogenicity	:	
IARC		No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA		No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP		No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive toxicity	:	No information available.
STOT-single exposure	:	No information available.
STOT-repeated exposure	:	No information available.
Repeated dose toxicity	:	No information available.
Aspiration toxicity	:	No information available.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects**Product:**

Ozone-Depletion Potential	:	Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
---------------------------	---	--

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Disposal in accordance with local and national regulations. Take precautions against ignition or explode. Entrust disposal to a licensed waste disposal company.
Contaminated packaging	:	Disposal in accordance with local and national regulations. Before disposal of used container, remove contents completely.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

UN/ID No.	:	UN 3265
-----------	---	---------

Proper shipping name : Corrosive liquid, acidic, organic, n.o.s.
Class : 8
Packing group : III

IMDG-Code

UN number : UN 3265
Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class : 8
Packing group : III
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

UN/ID/NA number : UN 3265
Proper shipping name : Corrosive liquid, acidic, organic, n.o.s.
Class : 8
Packing group : III
ERG Code : 153
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations**Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

4-(Trifluoromethoxy)benzyl Chloride

65796-00-1

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Revision Date : 12/15/2024

This SDS was prepared sincerely based on the information obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling operations, sufficient care should be taken, in addition to the safety measures suitable for the given situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.