





Raw Materials for Polyimide Synthesis



Tetracarboxylic Dianhydrides

Diamines

Diisocyanates


















































Solvents






































Raw Materials for Polyimide Synthesis

Polyimide is a generic name of polymers having imide bonds. Typically they have excellent heat resistance, chemical resistance, electrical insulation, and mechanical strength. Moreover, they have a relatively low coefficient of thermal expansion in organic compounds. And since they have only a few errors from expansion when used at high temperatures, they have been widely used for industrial products. For example









































polyimides are used for flexible printed wiring boards in electronic devices, insulating material for electronic circuits and protection films for semiconductors, etc. Also, in the area of liquid crystal displays, polyimides are used as the alignment film to arrange liquid crystal molecules in one direction.




































Our products for polyimide synthesis are shown as follows:

Tetracarboxylic Dianhydrides	
B1770 5g 25g	C2262 1g 5g
 <i>meso</i> -Butane-1,2,3,4-tetracarboxylic Dianhydride CAS RN: 17309-39-6	 1,2,3,4-Cyclobutane-tetracarboxylic Dianhydride CAS RN: 4415-87-6
T2697 1g 5g	C2842 1g 5g
 1,2,3,4-Tetramethyl-1,2,3,4-cyclobutanetetracarboxylic Dianhydride CAS RN: 64198-16-9	 1,2,3,4-Cyclobutanetetracarboxylic Dianhydride (purified by sublimation) CAS RN: 4415-87-6
T2698 5g 25g	C0857 5g 25g
 Tricyclo[6.4.0.0 ^{2,7}]dodecane-1,8:2,7-tetracarboxylic Dianhydride CAS RN: 738-90-9	 1,2,3,4-Cyclopentane-tetracarboxylic Dianhydride CAS RN: 6053-68-5
C0857 5g 25g	C2920 1g 5g
 1,2,3,4-Cyclopentane-tetracarboxylic Dianhydride CAS RN: 6053-68-5	 1,2,3,4-Cyclopentanetetracarboxylic Dianhydride (purified by sublimation) CAS RN: 6053-68-5
C2920 1g 5g	B1317 25g 500g
 1,2,3,4-Cyclopentanetetracarboxylic Dianhydride (purified by sublimation) CAS RN: 6053-68-5	 Bicyclo[2.2.2]oct-7-ene-2,3,5,6-tetracarboxylic Dianhydride CAS RN: 1719-83-1
B4261 5g 25g	C3110 1g 5g
 Bicyclo[2.2.2]oct-7-ene-2,3,5,6-tetracarboxylic Dianhydride (purified by sublimation) CAS RN: 1719-83-1	 3-(Carboxymethyl)-1,2,4-cyclopentanetricarboxylic Acid 1,4:2,3-Dianhydride CAS RN: 6053-46-9
C3110 1g 5g	C2419 5g 25g
 3-(Carboxymethyl)-1,2,4-cyclopentanetricarboxylic Acid 1,4:2,3-Dianhydride CAS RN: 6053-46-9	 1,2,4,5-Cyclohexanetetracarboxylic Dianhydride CAS RN: 2754-41-8
C2419 5g 25g	C2919 1g 5g
 1,2,4,5-Cyclohexanetetracarboxylic Dianhydride CAS RN: 2754-41-8	 1,2,4,5-Cyclohexanetetracarboxylic Dianhydride (purified by sublimation) CAS RN: 2754-41-8
C2919 1g 5g	D5723 5g 25g
 1,2,4,5-Cyclohexanetetracarboxylic Dianhydride (purified by sublimation) CAS RN: 2754-41-8	 HBPDA CAS RN: 122640-83-9
D5723 5g 25g	D1901 25g 500g
 HBPDA CAS RN: 122640-83-9	 5-(2,5-Dioxotetrahydrofuryl)-3-methyl-3-cyclohexene-1,2-dicarboxylic Anhydride CAS RN: 73003-90-4
D1901 25g 500g	D2192 5g 25g
 5-(2,5-Dioxotetrahydrofuryl)-3-methyl-3-cyclohexene-1,2-dicarboxylic Anhydride CAS RN: 73003-90-4	 4-(2,5-Dioxotetrahydrofuran-3-yl)-1,2,3,4-tetrahydronaphthalene-1,2-dicarboxylic Anhydride CAS RN: 13912-65-7
D2192 5g 25g	B0040 25g 100g 500g
 4-(2,5-Dioxotetrahydrofuran-3-yl)-1,2,3,4-tetrahydronaphthalene-1,2-dicarboxylic Anhydride CAS RN: 13912-65-7	 Pyromellitic Dianhydride CAS RN: 89-32-7
B0040 25g 100g 500g	P2103 5g 25g
 Pyromellitic Dianhydride CAS RN: 89-32-7	 Pyromellitic Dianhydride (purified by sublimation) CAS RN: 89-32-7
P2103 5g 25g	B1326 25g 100g
 Pyromellitic Dianhydride (purified by sublimation) CAS RN: 89-32-7	 4,4'-Biphtalic Anhydride CAS RN: 2420-87-3
B1326 25g 100g	B4262 5g
 4,4'-Biphtalic Anhydride CAS RN: 2420-87-3	 4,4'-Biphthalic Anhydride (purified by sublimation) CAS RN: 2420-87-3
B4262 5g	B4629 5g
 4,4'-Biphthalic Anhydride (purified by sublimation) CAS RN: 2420-87-3	 3,4'-Biphthalic Anhydride CAS RN: 36978-41-3
B4629 5g	B0948 25g 100g 500g
 3,4'-Biphthalic Anhydride CAS RN: 36978-41-3	 4,4'-Carbonyldiphthalic Anhydride CAS RN: 2421-28-5
B0948 25g 100g 500g	B4260 5g 25g
 4,4'-Carbonyldiphthalic Anhydride CAS RN: 2421-28-5	 4,4'-Carbonyldiphthalic Anhydride (purified by sublimation) CAS RN: 2421-28-5
B4260 5g 25g	E1164 5g 25g
 4,4'-Carbonyldiphthalic Anhydride (purified by sublimation) CAS RN: 2421-28-5	 4,4'-(Ethyne-1,2-diyl)-diphthalic Anhydride CAS RN: 129808-00-0
E1164 5g 25g	E1412 1g 5g
 4,4'-(Ethyne-1,2-diyl)-diphthalic Anhydride CAS RN: 129808-00-0	 4,4'-(Ethyne-1,2-diyl)diphthalic Anhydride (purified by sublimation) CAS RN: 129808-00-0
E1412 1g 5g	H0771 5g 25g 100g
 4,4'-(Ethyne-1,2-diyl)diphthalic Anhydride (purified by sublimation) CAS RN: 129808-00-0	 4,4'-(Hexafluoroisopropylidene)-diphthalic Anhydride CAS RN: 1107-00-2
H0771 5g 25g 100g	H1438 1g 5g
 4,4'-(Hexafluoroisopropylidene)-diphthalic Anhydride CAS RN: 1107-00-2	 4,4'-(Hexafluoroisopropylidene)-diphthalic Anhydride (purified by sublimation) CAS RN: 1107-00-2
H1438 1g 5g	F1192 5g 25g
 4,4'-(Hexafluoroisopropylidene)-diphthalic Anhydride (purified by sublimation) CAS RN: 1107-00-2	 9,9-Bis(3,4-dicarboxyphenyl)-fluorene Dianhydride CAS RN: 135876-30-1
F1192 5g 25g	O0237 25g 100g
 9,9-Bis(3,4-dicarboxyphenyl)-fluorene Dianhydride CAS RN: 135876-30-1	 4,4'-Oxydiphthalic Anhydride CAS RN: 1823-59-2
O0237 25g 100g	
 4,4'-Oxydiphthalic Anhydride CAS RN: 1823-59-2	




O0423 5g  4,4'-Oxydiphthalic Anhydride (purified by sublimation) CAS RN: 1823-59-2	O0384 1g 5g 25g  3,4'-Oxydiphthalic Anhydride CAS RN: 50662-95-8	D4554 1g 5g  4,4'-Sulfonyldiphthalic Anhydride (purified by sublimation) CAS RN: 2540-99-0	N0369 25g 250g  NTCDA CAS RN: 81-30-1	N0755 1g 5g  NTCDA (purified by sublimation) CAS RN: 81-30-1
P0972 25g 100g 500g  3,4,9,10-Perylene-tetracarboxylic Dianhydride CAS RN: 128-69-8	P2625 5g 25g  TAHQ CAS RN: 2770-49-2	I0856 25g 100g  4,4'-(4,4'-Isopropylidene-diphenoxy)diphthalic Anhydride CAS RN: 38103-06-9	E0480 25g 100g  EDTA Dianhydride CAS RN: 23911-25-3	P1614 500g  Phthalic Anhydride CAS RN: 85-44-9
T2381 1g 5g  Tetrafluorophthalic Anhydride CAS RN: 652-12-0	T0071 25g 500g  Tetrachlorophthalic Anhydride CAS RN: 117-08-8	T0046 25g 100g  Tetrabromophthalic Anhydride CAS RN: 632-79-1	T3871 5g  Tetrabromophthalic Anhydride (purified by sublimation) CAS RN: 632-79-1	E0579 1g 5g  4-Ethynylphthalic Anhydride CAS RN: 73819-76-8
M2757 5g 25g  4-(1-Propynyl)phthalic Anhydride CAS RN: 1240685-26-0	P1437 5g 25g  4-Phenylethynylphthalic Anhydride CAS RN: 119389-05-8	C0046 25g 500g  Trimellitic Anhydride CAS RN: 552-30-7	T1079 25g 100g 500g  Trimellitic Anhydride Chloride CAS RN: 1204-28-0	
Diamines				
	C0813 5mL 25mL  1,3-Cyclohexanediamine (<i>cis</i> - and <i>trans</i> - mixture) CAS RN: 3385-21-5	C0814 5mL 25mL  1,4-Cyclohexanediamine (<i>cis</i> - and <i>trans</i> - mixture) CAS RN: 3114-70-3	B1005 25mL 500mL  1,3-Bis(aminomethyl)-cyclohexane (<i>cis</i> - and <i>trans</i> - mixture) CAS RN: 2579-20-6	
B1083 5g 25g  1,4-Bis(aminomethyl)-cyclohexane (<i>cis</i> - and <i>trans</i> -mixture) CAS RN: 2549-93-1	B3852 25g 500g  Bis(aminomethyl)norbornane (mixture of isomers) CAS RN: 56602-77-8	M0699 25g 500g  4,4'-Methylenebis(cyclohexylamine) (mixture of isomers) CAS RN: 1761-71-3	M1422 25mL 500mL  4,4'-Methylenebis(2-methyl-cyclohexylamine) (mixture of isomers) CAS RN: 6864-37-5	I0228 25mL 500mL  Isophoronediamine (<i>cis</i> - and <i>trans</i> - mixture) CAS RN: 2855-13-2
P1892 25g 500g  1,3-Phenylenediamine CAS RN: 108-45-2	P1911 25g 250g  1,3-Phenylenediamine CAS RN: 108-45-2	P0170 25g 250g  1,4-Phenylenediamine CAS RN: 106-50-3	D2183 25g 100g  2,5-Dimethyl-1,4-phenylenediamine CAS RN: 6393-01-7	T1457 5g 25g  2,3,5,6-Tetramethyl-1,4-phenylenediamine CAS RN: 3102-87-2
T2019 1g 5g  2,4,5,6-Tetrafluoro-1,3-phenylenediamine CAS RN: 1198-63-6	T1110 1g  2,3,5,6-Tetrafluoro-1,4-phenylenediamine CAS RN: 1198-64-7	D1888 5g 25g  4,6-Diaminoresorcinol Dihydrochloride CAS RN: 16523-31-2	D2022 5g 25g  2,5-Diamino-1,4-benzenedithiol Dihydrochloride CAS RN: 75464-52-7	A1431 5g 25g  3-Aminobenzylamine CAS RN: 4403-70-7

Raw Materials for Polyimide Synthesis

A1436 25g 250g  4-Aminobenzylamine CAS RN: 4403-71-8	D0127 25g 100g 500g  m-Xylylenediamine CAS RN: 1477-55-0	D1018 25g 100g 500g  p-Xylylenediamine CAS RN: 539-48-0	D0101 25g 100g 500g  1,5-Diaminonaphthalene (purified by sublimation) CAS RN: 2243-62-1	D5689 1g 5g  1,5-Diaminonaphthalene (purified by sublimation) CAS RN: 2243-62
D0092 1g 5g 25g  2,7-Diaminofluorene CAS RN: 525-64-4	D3180 25g 250g  2,6-Diaminoanthraquinone CAS RN: 131-14-6	T3098 25g  m-Tolidine CAS RN: 84-67-3	T0253 25g 250g  o-Tolidine CAS RN: 119-93-7	T1913 25g 500g  o-Tolidine CAS RN: 119-93-7
T1023 1g 5g 25g  TMB CAS RN: 54827-17-7	D1344 25g 100g 500g  o-Dianisidine CAS RN: 119-90-4	M0609 25g 500g  4,4'-Methylenebis(2-chloroaniline) CAS RN: 101-14-4	B0395 25g 500g  2,2'-Benzidinedisulfonic Acid (contains 30% Water at maximum) CAS RN: 117-61-3	D0077 5g 25g  3,3'-Diaminobenzidine CAS RN: 91-95-2
B1711 1g 5g 25g  2,2'-Bis(trifluoromethyl)benzidine CAS RN: 341-58-2	D1632 1g 5g  4,4'-Diamino-octafluorobiphenyl CAS RN: 1038-66-0	D0754 1g 5g  4,4'-Oxybis[3-(trifluoromethyl)aniline] CAS RN: 344-48-9	D3390 1g 5g  4,4''-Diamino-p-terphenyl CAS RN: 3365-85-3	D1683 1g 5g  3,3'-Diaminodiphenylmethane CAS RN: 19471-12-6
D1684 1g 5g 25g  3,4'-Diaminodiphenylmethane CAS RN: 19430-83-2	M0220 25g 500g  4,4'-Diaminodiphenylmethane CAS RN: 101-77-9	D2046 25g  4,4'-Diamino-3,3'-dimethyldiphenylmethane CAS RN: 838-88-0	M1238 25g  4,4'-Methylenebis(2-ethyl-6-methylaniline) CAS RN: 19900-72-2	M1897 25g 500g  4,4'-Methylenebis(2,6-diethylaniline) CAS RN: 13680-35-8
D1682 1g 5g  3,3'-Diaminobenzophenone CAS RN: 611-79-0	D1561 1g 5g  4,4'-Diaminobenzophenone CAS RN: 611-98-3	E0346 5g 25g  4,4'-Ethylenedianiline CAS RN: 621-95-4	D1658 5g  4,4'-Diamino-2,2'-dimethylbibenzyl CAS RN: 54628-21-6	D0121 25g 100g 500g  Amsonic Acid CAS RN: 81-11-8
B4429 5g 25g  2,2-Bis(3-amino-4-hydroxyphenyl)propane CAS RN: 1220-78-6	B1400 1g 5g 25g  2,2-Bis(4-aminophenyl)hexafluoropropane CAS RN: 1095-78-9	B1415 5g 25g  2,2-Bis(3-amino-4-hydroxyphenyl)hexafluoropropane CAS RN: 83558-87-6	B1562 25g 500g  alpha, alpha'-Bis(4-aminophenyl)-1,4-diisopropylbenzene CAS RN: 2716-10-1	B3853 25g  1,3-Bis[2-(4-aminophenyl)-2-propyl]benzene CAS RN: 2687-27-6
B2076 5g 25g  1,1-Bis(4-aminophenyl)cyclohexane CAS RN: 3282-99-3	B1549 25g 100g  9,9-Bis(4-aminophenyl)fluorene CAS RN: 15499-84-0	B2654 1g  9,9-Bis(4-aminophenyl)fluorene (purified by sublimation) CAS RN: 15499-84-0	B2690 5g  9,9-Bis(4-amino-3-chlorophenyl)fluorene CAS RN: 107934-68-9	B2693 5g 25g  9,9-Bis(4-amino-3-methylphenyl)fluorene CAS RN: 107934-60-1

D1924 5g 25g  3,4'-Diaminodiphenyl Ether CAS RN: 2657-87-6	O0088 25g 500g  4,4'-Diaminodiphenyl Ether CAS RN: 101-80-4	O0568 1g  3,3'-Oxydianiline CAS RN: 15268-07-2	O0542 5g 25g  4,4'-Oxybis[3-(trifluoromethyl)aniline] CAS RN: 344-48-9	B1370 5g 25g  1,3-Bis(3-aminophenoxy)benzene CAS RN: 10526-07-5
B1680 25g  1,3-Bis(4-aminophenoxy)benzene CAS RN: 2479-46-1	B1243 5g 25g  1,4-Bis(4-aminophenoxy)benzene CAS RN: 3491-12-1	B4428 5g 25g  1,4-Bis(4-amino-2-trifluoromethylphenoxy)benzene CAS RN: 94525-05-0	B1671 5g 25g  4,4'-Bis(4-aminophenoxy)biphenyl CAS RN: 13080-85-8	B1551 25g 250g  2,2-Bis[4-(4-aminophenoxy)phenyl]propane CAS RN: 13080-86-9
B1398 5g 25g  2,2-Bis[4-(4-aminophenoxy)phenyl]hexafluoropropane CAS RN: 69563-88-8	B2928 25g  Bis(2-aminophenyl) Sulfide CAS RN: 5873-51-8	T0632 25g  Bis(4-aminophenyl) Sulfide CAS RN: 139-65-1	B0394 25g 500g  Bis(3-aminophenyl) Sulfone CAS RN: 599-61-1	D0089 25g 100g 500g  Bis(4-aminophenyl) Sulfone CAS RN: 80-08-0
B2859 5g 25g  Bis(3-amino-4-hydroxyphenyl) Sulfone CAS RN: 7545-50-8	B1681 25g  Bis[4-(3-aminophenoxy)phenyl] Sulfone CAS RN: 30203-11-3	B1682 25g  Bis[4-(4-aminophenoxy)phenyl] Sulfone CAS RN: 13080-89-2	T1419 25g  o-Tolidine Sulfone (contains 2,6-Dimethyl isomer) CAS RN: 55011-44-4	D2116 1g 5g  3,6-Diaminocarbazole CAS RN: 86-71-5
T2728 5g 25g  1,3,5-Tris(4-aminophenyl)benzene CAS RN: 118727-34-7	B4541 5g 25g  Bis(4-aminophenyl) Terephthalate CAS RN: 16926-73-1	B1552 5g 25g  1,3-Bis(3-aminopropyl)-tetramethyldisiloxane CAS RN: 2469-55-8		
Diisocyanates		B1538 25mL 500mL  1,3-Bis(isocyanatomethyl)cyclohexane (cis- and trans- mixture) CAS RN: 38661-72-2	I0314 25mL 500mL  Isophorone Diisocyanate (mixture of isomers) CAS RN: 4098-71-9	D2380 25g 100g 500g  3,3'-Dimethylnaphthidine [for Colorimetric Determination of Cl in Water] CAS RN: 13138-48-2
P1092 1g 5g  1,3-Phenylene Diisocyanate CAS RN: 123-61-5	P1640 25g 250g  1,4-Phenylene Diisocyanate CAS RN: 104-49-4	T0263 25g 500g  Toluene-2,4-diisocyanate CAS RN: 584-84-9	T1153 1g 5g 25g  Toluene-2,6-diisocyanate CAS RN: 91-08-7	T0264 25g 500g Toluene Diisocyanate (2,4- ≈80%, 2,6- ≈20%) CAS RN: 26471-62-5
X0022 25g 100g 500g  m-Xylylene Diisocyanate CAS RN: 3634-83-1	B1442 25g 500g  1,3-Bis(2-isocyanato-2-propyl)benzene CAS RN: 2778-42-9	N0168 25g 100g  1,5-Diisocyanatonaphthalene CAS RN: 3173-72-6	D2051 25g 250g  4,4'-Diisocyanato-3,3'-dimethylbiphenyl CAS RN: 91-97-4	D1541 5g 25g  3,3'-Dichloro-4,4'-diisocyanatobiphenyl CAS RN: 5331-87-3

Raw Materials for Polyimide Synthesis

D0897 25g 500g	M3310 100g	B1509 1g
		
Methylenediphenyl 4,4'-Diisocyanate CAS RN: 101-68-8	Methylenediphenyl 4,4'-Diisocyanate (Granulated) CAS RN: 101-68-8	2,2-Bis(4-isocyanatophenyl)- hexafluoropropane CAS RN: 10224-18-7

**Ordering and
Customer Service**

TCI AMERICA

Tel : 800-423-8616 / 503-283-1681
Fax : 888-520-1075 / 503-283-1987
E-mail : Sales-US@TCIchemicals.com

TCI EUROPE N.V.

Tel : +32 (0)3 735 07 00
Fax : +32 (0)3 735 07 01
E-mail : Sales-EU@TCIchemicals.com

TCI Deutschland GmbH

Tel : +49 (0)6196 64053-00
Fax : +49 (0)6196 64053-01
E-mail : Sales-DE@TCIchemicals.com

Tokyo Chemical Industry UK Ltd.

Tel : +44 (0)1865 784560
Fax : +44 (0)1865 784561
E-mail : Sales-UK@TCIchemicals.com

TCI Chemicals (India) Pvt. Ltd.

Tel : 1800 425 7889 / 044-2262 0909
Fax : 044-2262 8902
E-mail : Sales-IN@TCIchemicals.com

梯希爱(上海)化成工业发展有限公司

Tel : 800-988-0390 / 021-67121386
Fax : 021-6712-1385
E-mail : Sales-CN@TCIchemicals.com

TOKYO CHEMICAL INDUSTRY CO., LTD.

Tel : +81 (0)3-5640-8878
Fax : +81 (0)3-5640-8902
E-mail : globalbusiness@TCIchemicals.com

Availability, price or specification of the listed products are subject to change without prior notice. Reproduction forbidden without the prior written consent of Tokyo Chemical Industry Co., Ltd.